247blinds

PERFECT FIT BLINDS

Pleated, Honeycomb and Venetian

LET'S GET MEASURING!

MEASURING FOR PERFECT FIT BLINDS

You will need a metal tape measure, a ruler, a blunt butter knife and a pen/pencil.

NOTE: Perfect Fit© Blinds use a built-in tilt rod for slat control, projecting approximately 20mm from the window glass to the outside tilt rod or bottom rail handle. Consider this measurement when fitting blinds to doors with specific clearances. Refer to product specifications for details.

CHECK WINDOW/DOOR SUITABILITY

An easy way to check if your windows are suitable is by using a gauge, or blunt butter knife. Measure how far the blade slips under the beading to see if it's above the 18mm required. Please take care when using a knife.





Don't force it if it feels like it doesn't want to budge — You may have an older window where the seal is not compressible. If this is the case, then you'll need to consider other options.

To ensure the best possible fit we require accurate measurements for both the width and drop of the blind.

Measure the full size of the visible glass between the gaskets. Order as glass size.

NOTE: The blinds handle projects 35mm from the glass to the front of the folded operating handle. Important for bi-fold door operation.



STEP 1

MEASURING THE CLEARANCE AND BEADING

Clearance: Inspect the space between the glass's edge and any potential obstructions like window handles, ensuring a minimum clearance of 26mm.

Beading: Ensure that the rubber beading doesn't protrude more than 6mm into the glass area.



STEP 2

To determine the window's depth from the glass to the beading, place a credit card at the frame's corner and employ a metal ruler for the measurement. Typically, this measurement falls within the range of 18 to 38mm.



STEP 3

Determine the visible glass dimensions for every window and door. Measure from the inner frame edges where the glass intersects with the rubber seal, excluding any beading or rubber seals in your calculations.

Gauge the top, middle, and bottom of the glass, rounding to the nearest millimetre, and record the shortest measurement.

Repeat this process for the vertical dimension, measuring the left, right, and centre, and record the smallest measurement.



MAKE A NOTE OF YOUR MEASUREMENTS

Blind/Colour/Location	Glass Size	Width	Drop

Other Notes

247blinds.co.uk

All measured up?

Placing your order couldn't be easier.
Scan here to be taken to our website.

or call 01484 443790

EASY TO FIT

FAST TRACK DELIVERY

5 YEAR GUARANTEE

Be inspired

247 Home Furnishings Ltd trading as 247Blinds
Unit A, Trident Business Park, Huddersfield, HD2 1UA.