



Measuring for a Plantation Shutter

Choose your Shutter Style

Our [Plantation Shutters](#) come in three popular styles, and these are:

Full Height Shutters – These are designed to fit in the full height of the window. These are the most popular option.



Café Shutters – Great for rooms where total privacy isn't required, also great for windows that have a natural sectioned top and bottom half.



Tier on Tier – These use two sets of shutters are within one frame, with panels you can operate independently of the other.



All three are available in three slat options: 63mm, 76mm and 89mm.


Then choose the suitable frame type for how you plan to fit to your window.

L Frame shutters allow you to position the shutters at the front of the recess, with the panels opening flat against the wall.

Z Frame Shutters are positioned at the front edge of the recess, and juts outwards thus creating a natural architrave style.

For both options, be aware of any obstructions, such as the windows opening inwards, window handles and windowsills.

Side Profile



'L' Frame

'Z' Frame

This is an example of commonly seen side profiles, for specific frame appearance and measurements, please refer to the more information tooltips, in your chosen product page. Alternatively, give us a quick call on 01484 443790

Measure for your chosen frame type.

Once you've chosen the best frame type, then measure up!

- 1) First decide on the position of the frame inside the recess. Fit near to the window to retain the window ledge, or position further out in order to leave clearance for obstructions such as window handles.

Before measuring, again be aware of any obstructions such as windows opening inwards and handles.



1A) Choosing the L frame allows you to position the shutters at the front of the recess, which allows for opening panels flat against the side walls.

B) Alternatively, the Z frame is positioned at the edge of the recess, creating a traditional style architrave outside the recess.



Measuring for the Shutter blind size.

Measure the width and the drop inside the recess, three times at both the top and the bottom. Choose the smallest size and deduct 5mm.

- 2) Now check the squareness of the window by measuring diagonally across the recess in both directions.

If the recess is more than 15mm out of square, then selecting the Z frame option instead, might be more suitable.

Then simply jot down your sizes, then order samples in your chosen slat width and colour to get the perfect look.



For inside recess measurements, please make note of these slat and frame clearance depths: -

Shutter Frame | 49.8mm

64mm slats do not protrude out of the back of the frame. However, these slat sizes protrude out the back by an extra: -

89mm | 15mm


Please allow for no interference in slat operation.



Measuring for Mid-Rails.

For shutters over 1700mm, a mid-rail which adds rigidity to the panels. This will be placed usually half way.

Please state the position of the mid-rail by measuring up from where the bottom of the frame will be fixed, to where you require it. This will usually be where this a transom on the window.



Tier on Tier & Café Style.

For Tier on Tier shutters measure as standard full height shutter but ascertain the height of the tiers by measuring up from where the bottom of the frame will be fixed to where you require the split of the tiers.

Please note that there is a permanent T bar on Tier on Tier shutters, to separate the tiers.

For Café Style, to ascertain the finished height to the top of the panel, again measure up from the bottom where the frame will be fixed to where you want the panel to finish.



Other sizes.

247blinds.co.uk

Reviewed 20/12/2021

Next Review: 21/12/2023

As our Shutters come from different sources and locations in and outside the UK, the sizes will vary to allow for transit and factory limits.,

Shutter General Sizing:

Sizes (cm)	Bromley Snow & True White (cm)	Bromley (cm)	Kensington (cm)
Min Width	26.6	28.8	24.9
Max Width	246.3	246.3	269.6
Min Drop	46.6	46.6	29.9
Max Drop	250.6	300	300

Panel Sizes:

No of Panels	Bromley Snow & True White (cm)	Bromley Snow & True White Max (cm)	Bromley Min (cm)	Bromley Max (cm)	Kensington Min (cm)	Kensington Max (cm)
1 panel left	26.6	85.6	26.6	85.6	24.9	93.9
1 panel right	26.6	85.6	26.6	85.6	24.9	93.9
panels - 1 left 1 right	47.9	165.8	52.3	188.6	45.2	183.1
2 panels left	47.9	125.8	52.3	125.8	45.2	137.1
2 panels right	47.9	125.8	52.3	125.8	45.2	137.1
3 panels - 1 left 2 right	69.1	186.1	75.7	186.1	65.4	203.4
3 panels - 2 left 1 right	69.1	186.1	75.7	186.1	65.4	203.4
4 panels - 2 left 2 right	90.4	246.3	99.2	246.3	85.7	269.6